



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Applicant: PLAN CREATIONS CO., LTD.
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG, THAILAND 92140
ATTN: K.NARONG, K.SUPAPORN

Date: May 18, 2015

Sample description:

One (1) set of submitted sample said to be FRACTION FUN

Item Name: FRACTION FUN
Item Number: 5648
Date Sample Received: April 03, 2015
Date Information Resubmitted: May 15, 2015



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by :
For Intertek Testing Services (Thailand)

Ladtaka Wongwiboonporn
Laboratory Manager
Hardlines Department

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tth.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Conclusion:

Tested samples

Submitted sample

Standard - U.S. ASTM F963-11

U.S. ASTM F963-11 for Physical and mechanical tests

Result

Pass

U.S. ASTM F963-11 for flammability test of materials
other than textile materials

Pass

Heavy Elements Test

Pass

Standard - U.S. CFR title 16

(CPSC regulations)

Part 1303 total Lead content

Pass

Standard

U.S. Consumer product safety improvement
Act 2008(H.R. 4040) Title I, Section 101
For total lead content in surface coating

Pass

U.S. Consumer product safety improvement
Act 2008(H.R. 4040) Title I, Section 101
For total lead content in non-surface coating material (substrate)

Pass

U.S. Consumer product safety improvement
Act 2008(H.R. 4040) Title I, Section 108
Requirement on phthalates

Pass

Phthalate Content Requirement base
on the California Proposition 65

Pass

Illinois Lead Poisoning Prevention
Act 410 ILCS 45 section 6 (public act 095-1019)

Pass

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloe Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

<u>Components</u>	<u>Report No.</u>	<u>Date</u>
<u>ASTM</u>		
5020038 LAQUER WATER BASE	BKKH14006467S2	Oct 31, 2014
5029040 LAQUER WATER BASE+ORANGE	BKKH14015067	Nov 24, 2014
5020030 Water Base Yellow	BKKH14015221	Dec 01, 2014
5029074 Water Base Blue	BKKH14015603	Dec 09, 2014
5020031 WATER BASE GREEN	BKKH15005453	May 06, 2015
SOLID WOOD	BKKH14014940	Nov 20, 2014
5023002 WHITE 5%	BKKH15005181	Apr 24, 2015
<u>Lead in surface coating</u>		
5020038 LAQUER WATER BASE	BKKH14006467S2	Oct 31, 2014
5029040 LAQUER WATER BASE+ORANGE	BKKH14015067	Nov 24, 2014
5020030 Water Base Yellow	BKKH14015221	Dec 01, 2014
5029074 Water Base Blue	BKKH14015603	Dec 09, 2014
5020031 WATER BASE GREEN	BKKH15005453	May 06, 2015
<u>Lead in substrate</u>		
SOLID WOOD	BKKH14014940	Nov 20, 2014
5023002 WHITE 5%	BKKH15005181	Apr 24, 2015
<u>Phthalate content</u>		
5020038 LACQUER WATER BASE	BKKH15003996	Mar 26, 2015
5029040 WATER BASE ORANGE	BKKH15003889	Mar 24, 2015
5029074 WATER BASE BLUE	BKKH15003889	Mar 24, 2015
5023002 WHITE 5%	BKKH15005181	Apr 24, 2015
5020031 WATER BASE GREEN	BKKH15005453	May 06, 2015
5020030 Water Base Yellow	BKKH15005764	May 14, 2015

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.

TEST REPORT

Number: BKKH15004482

Test conducted:

1 Physical And Mechanical Tests

As per the ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

Applicant's specified age group for testing : For age over 3 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Drop test	Section 1500.53(b)	4 x 3.0 ft
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

<u>Section</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality (visual check on cleanliness)	P
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Packaging film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

Section	Testing items	Assessment
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings - name of producer (toy and package) - address (package)	Yes Yes

Remark : P = Pass NA = Not applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period : April 03, 2015 to April 16, 2015

2 Flammability Test

As per Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-11

Results : Did Not Ignite

Testing period : April 03, 2015 to April 16, 2015

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

3 Heavy Elements Analysis

As per Section 4.3.5.1(2) and 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			<u>Result</u> <u>mg/kg</u>			<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
	(1)	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	< 4	ND	< 4	< 4	ND	0.7	4	1000
Sol. Lead (Pb)	< 4	ND	ND	ND	ND	0.7	4	90
Sol. Cadmium (Cd)	< 4	ND	ND	ND	ND	0.7	4	75
Sol. Antimony (Sb)	< 2	ND	ND	ND	ND	0.8	2	60
Sol. Selenium (Se)	< 2	ND	ND	ND	ND	0.4	2	500
Sol. Chromium (Cr)	< 4	ND	ND	ND	ND	0.7	4	60
Sol. Mercury (Hg)	< 3	ND	ND	ND	ND	1	3	60
Sol. Arsenic (As)	< 1	ND	ND	ND	ND	0.8	2	25

Remark: Sol. = Soluble
< = Less than
mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(1) =	5020038	LAQUER WATER BASE	Refer	BKKH14006467S2
(2) =	5029040	LAQUER WATER BASE+ORANGE	Refer	BKKH14015067
(3) =	5020030	Water Base Yellow	Refer	BKKH14015221
(4) =	5029074	Water Base Blue	Refer	BKKH14015603
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

Heavy Elements Analysis

As per Section 4.3.5.1(2) and 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
	(6)	(7)			
Sol. Barium (Ba)	< 4	ND	0.7	4	1000
Sol. Lead (Pb)	ND	ND	0.7	4	90
Sol. Cadmium (Cd)	ND	ND	0.7	4	75
Sol. Antimony (Sb)	ND	ND	0.8	2	60
Sol. Selenium (Se)	ND	ND	0.4	2	500
Sol. Chromium (Cr)	ND	ND	0.7	4	60
Sol. Mercury (Hg)	ND	ND	1	3	60
Sol. Arsenic (As)	ND	ND	0.8	2	25

Remark: Sol. = Soluble
< = Less than
mg/kg = Milligram per kilogram = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(6) = SOLID WOOD

Refer BKKH14014940

(7) = 5023002 WHITE 5%

Refer BKKH15005181

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

Total Lead (Pb) Content

As per Sections 4.3.5.1(1) and 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

<u>Tested Component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>(mg/kg)</u>	<u>LOQ</u> <u>(mg/kg)</u>	<u>Limit</u> <u>(mg/kg)</u>
(1)	< 10	2	13	90
(2)	ND	2	13	90
(3)	< 13	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90

Remark: < = Less than
mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(1) =	5020038	LAQUER WATER BASE	Refer	BKKH14006467S2
(2) =	5029040	LAQUER WATER BASE+ORANGE	Refer	BKKH14015067
(3) =	5020030	Water Base Yellow	Refer	BKKH14015221
(4) =	5029074	Water Base Blue	Refer	BKKH14015603
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Total Lead (Pb) Content

As per Sections 4.3.5.1(1) and 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

<u>Tested Component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>(mg/kg)</u>	<u>LOQ</u> <u>(mg/kg)</u>	<u>Limit</u> <u>(mg/kg)</u>
(6)	< 13	1	13	100
(7)	ND	1	13	100

Remark: < = Less than
mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(6) =	SOLID WOOD	Refer	BKKH14014940
(7) =	5023002 WHITE 5%	Refer	BKKH15005181

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tth.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

4 Total Lead (Pb) content

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

<u>Tested component</u>	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>%</u>	<u>%</u>	<u>%</u>	<u>%</u>
(1)	< 0.001	0.0002	0.0013	0.009
(2)	ND	0.0002	0.0013	0.009
(3)	< 0.0013	0.0002	0.0013	0.009
(4)	ND	0.0002	0.0013	0.009
(5)	ND	0.0002	0.0013	0.009

Remark: % = percentage
 < = Less than
 LOD = Limit of Detection
 LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)

Tested components:

(1) =	5020038	LAQUER WATER BASE	Refer	BKKH14006467S2
(2) =	5029040	LAQUER WATER BASE+ORANGE	Refer	BKKH14015067
(3) =	5020030	Water Base Yellow	Refer	BKKH14015221
(4) =	5029074	Water Base Blue	Refer	BKKH14015603
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

- 5 Total lead (Pb) content in surface coating
As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

<u>Tested component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
(1)	< 10	2	13	90
(2)	ND	2	13	90
(3)	< 13	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90

Remark: < = Less than
 mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
 LOD = Limit of Detection
 LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)

Tested components:

(1) =	5020038	LAQUER WATER BASE	Refer	BKKH14006467S2
(2) =	5029040	LAQUER WATER BASE+ORANGE	Refer	BKKH14015067
(3) =	5020030	Water Base Yellow	Refer	BKKH14015221
(4) =	5029074	Water Base Blue	Refer	BKKH14015603
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

- 6 Total lead (Pb) content in substrate material- non-metal children's product
As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

<u>Tested component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
(1)	< 13	1	13	100
(2)	ND	1	13	100

Remark: < = Less than
mg/kg = Milligram per kilogram = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

- (1) = SOLID WOOD Refer BKKH14014940
(2) = 5023002 WHITE 5% Refer BKKH15005181

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

7 Phthalate content

As per CPSC-CH-C1001-09.3 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u> (%, w/w)					<u>LOD</u> (%, w/w)	<u>LOQ</u> (%, w/w)	<u>Limit</u> (%, w/w)	<u>NPR</u> (%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	--
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1	--
Di-isobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.0015	0.009	--	0.1
Di-n-pentyl phthalate (DnPP)	ND	ND	ND	ND	ND	0.0015	0.009	--	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.009	--	0.1
Di-cyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.0015	0.009	--	0.1
Diisooctyl phthalate (DIOP)	ND	ND	ND	ND	ND	0.0015	0.009	--	--

Remark : The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

NPR = Notice of proposed rulemaking
< = Less
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(1) =	5020038	LACQUER WATER BASE	Refer	BKKH15003996
(2) =	5029040	WATER BASE ORANGE	Refer	BKKH15003889
(3) =	5029074	WATER BASE BLUE	Refer	BKKH15003889
(4) =	5023002	WHITE 5%	Refer	BKKH15005181
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

Phthalate content

As per CPSC-CH-C1001-09.3 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u> (%, w/w)	<u>LOD</u> (%, w/w)	<u>LOQ</u> (%, w/w)	<u>Limit</u> (%, w/w)	<u>NPR</u> (%, w/w)
(6)					
Dibutyl Phthalate (DBP)	ND	0.0015	0.003	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	0.0015	0.003	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	0.0015	0.003	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	0.0015	0.009	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	0.0015	0.003	0.1	--
Di-iso-decyl Phthalate (DIDP)	ND	0.0015	0.009	0.1	--
Di-isobutyl phthalate (DIBP)	ND	0.0015	0.009	--	0.1
Di-n-pentyl phthalate (DnPP)	ND	0.0015	0.009	--	0.1
Di-n-hexyl phthalate (DnHP)	ND	0.0015	0.009	--	0.1
Di-cyclohexyl phthalate (DCHP)	ND	0.0015	0.009	--	0.1
Diisooctyl phthalate (DIOP)	ND	0.0015	0.009	--	--

Remark : The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

NPR = Notice of proposed rulemaking
< = Less than
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Tested components:

(6) = 5020030 Water Base Yellow

Refer BKKH15005764

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tth.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

8 Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u>					<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>(%, w/w)</u>					<u>(%, w/w)</u>	<u>(%, w/w)</u>	<u>(%, w/w)</u>
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1
Di-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1

Remark :
< = Less than
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Note : The above limit was quoted according to the California Proposition 65

Tested components:

(1) =	5020038	LACQUER WATER BASE	Refer	BKKH15003996
(2) =	5029040	WATER BASE ORANGE	Refer	BKKH15003889
(3) =	5029074	WATER BASE BLUE	Refer	BKKH15003889
(4) =	5023002	WHITE 5%	Refer	BKKH15005181
(5) =	5020031	WATER BASE GREEN	Refer	BKKH15005453

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u> (%, w/w)	<u>LOD</u> (%, w/w)	<u>LOQ</u> (%, w/w)	<u>Limit</u> (%, w/w)
(6)				
Dibutyl Phthalate (DBP)	ND	0.0015	0.003	0.1
Diethyl hexyl Phthalate (DEHP)	ND	0.0015	0.003	0.1
Benzyl butyl Phthalate (BBP)	ND	0.0015	0.003	0.1
Di-iso-nonyl Phthalate (DINP)	ND	0.0015	0.009	0.1
Dioctyl Phthalate (DNOP)	ND	0.0015	0.003	0.1
Di-iso-decyl Phthalate (DIDP)	ND	0.0015	0.009	0.1
Di-n-hexyl Phthalate (DnHP)	ND	0.0015	0.003	0.1

Remark :
< = Less than
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Note : The above limit was quoted according to the California Proposition 65

Tested components:

(6) = 5020030 Water Base Yellow

Refer BKKH15005764

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

9 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

I Surface coating material

<u>Tested component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
(1)	< 10	2	13	90
(2)	ND	2	13	90
(3)	< 13	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90

Remark: < = Less than
mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1) = 5020038	LAQUER WATER BASE	Refer	BKKH14006467S2
(2) = 5029040	LAQUER WATER BASE+ORANGE	Refer	BKKH14015067
(3) = 5020030	Water Base Yellow	Refer	BKKH14015221
(4) = 5029074	Water Base Blue	Refer	BKKH14015603
(5) = 5020031	WATER BASE GREEN	Refer	BKKH15005453

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

TEST REPORT

Number: BKKH15004482

Test conducted:

II Non-surface coating material (substrate)

<u>Tested component</u>	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> <u>mg/kg</u>	<u>Limit</u> <u>mg/kg</u>
(6)	< 13	1	13	100
(7)	ND	1	13	100

Remark: < = Less than
mg/kg = Milligram per kilogram = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6
(public act 095-019), appropriate warning statement is required when the
Lead content of the submitted sample is more than 40 ppm but less than 90
ppm for surface coatings and less than 100 ppm for substrates by total
weight or a lower standard for Lead content as may be established by federal
or state law or regulation.

Tested components:

(6)	=	SOLID WOOD	Refer	BKKH14014940
(7)	=	5023002 WHITE 5%	Refer	BKKH15005181

Note: LOD and LOQ value in this test report were effective since October, 2014

*****END*****/KS/NK

*Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.
This report shall not be reproduced, except in full.*

Intertek Testing Services (Thailand) Ltd.

5/1 Soi Chaloem Suk, Chankasem, Chatuchak, Bangkok 10900 Thailand

Tel.: (662) 930-6554, (662) 939-0661 Fax: (662) 939-0191

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.