

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

Nov 23, 2018

Date:

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

### Sample description:

Quantity of sample: One (1) set
Sample description: Wooden toy
Date sample received: July 17, 2018

Date information received: November 09, 2018

#### **Client Information:**

One (1) set of submitted sample said to be SHOPPING CART

Item Name: SHOPPING CART

Item Number: 3481



### **Test conducted:**

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

**Hardlines Laboratory** 

Ladtaka Wongwiboonporn

Laboratory Manager

**Hardlines Department** 

Page 1 of 14





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

_			
/ `^ n	~!!		an:
Cor	ıcı	451	un.

**Tested samples Standard** Result Submitted sample U.S. ASTM F963-17 for Physical and mechanical tests **Pass** U.S. ASTM F963-17 for Flammability test of materials **Pass** other than textile materials U.S. ASTM F963-16 for Heavy elements Test **Pass** Standard - U.S. CFR title 16 **Pass** (CPSC regulations) Part 1303 total Lead content Standard **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in non-surface coating material (substrate)

> US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

As requested by the applicant, the test was conducted only on components listed in this report.

Phthalate Content Requirement base on the California Proposition 65

Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (public act 095-1019)

**Pass** 

**Pass** 

**Pass** 

Page 2 of 14

Other components were not tested.

Remark:



The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

Components	Report No.	<u>Date</u>
ASTM F963-16: Heavy metal		
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
LACQUER COATING ON WOOD	BKKH18008771	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018
GRAY RUBBER RING (EPDM)	BKKH18001629	Feb 12, 2018
Lead in surface coating		
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
LACQUER COATING ON WOOD	BKKH18008771	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018
<u>Lead in substrate</u>		
GRAY RUBBER RING (EPDM)	BKKH18001629	Feb 12, 2018
SCREW	BKKH17014683	Nov 30, 2017
Phthalate content		
GRAY RUBBER RING (EPDM)	BKKH18001629	Feb 12, 2018
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
LACQUER COATING ON WOOD	BKKH18008771	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018

Page 3 of 14





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

### Test conducted:

1 Physical And Mechanical Tests A

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing: For age over 2 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

TestFHSAParameterDrop testSection 1500.53(b) $4 \times 3.0 \text{ ft}$ Tumble Test--

Torque testSection 1500.53(e)4 in-lbfTension testSection 1500.53(f)15 lbfCompression testSection 1500.53(g)30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	Р
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	Р
4.18	Holes, clearance, and accessibility of mechanisms	Р
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

### Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	Р
6	Instructional literature	P
7	Producer's markings	
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: July 17, 2018 to August 28, 2018

# 2 Flammability Test<sup>▲</sup>

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite


▲ = Tested items are not included in the TISI Accreditation

Testing period: July 17, 2018 to August 28, 2018

(in)



The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

#### Test conducted:

### 3 <u>Heavy Elements Analysis</u>

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result mg/kg	<u>LOD</u> mg/kg	LOQ mg/kg	Limit mg/kg
	(1)	(2)	(3)			
Sol. Barium (Ba)	572	<5	<5	1	5	1000
Sol. Lead (Pb)	ND	ND	<5	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

OD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(2) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(3) =	GREEN COATING ON WOOD	Refer	BKKH18009874

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

Test conducted:

### **Heavy Elements Analysis**

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u> mg/kg	LOD mg/kg	LOQ mg/kg	Limit mg/kg
	(4)	<del></del>			
Sol. Barium (Ba)	ND		1	5	1000
Sol. Lead (Pb)	ND		1	5	90
Sol. Cadmium (Cd)	ND		1	5	75
Sol. Antimony (Sb)	ND		2	5	60
Sol. Selenium (Se)	ND		1	5	500
Sol. Chromium (Cr)	ND		2	5	60
Sol. Mercury (Hg)	ND		1	5	60
Sol. Arsenic (As)	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(4) = GRAY RUBBER RING (EPDM) Refer BKKH18001629

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.



www.intertek.com



The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

#### Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

### (I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	(mg/kg) (mg/kg)	(mg/kg)
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	<13	2 13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(2) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(3) =	GREEN COATING ON WOOD	Refer	BKKH18009874

### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

### (II) Non-surface coating

Tested Component	Result	LOD	LOQ	<u>Limit</u>
	mg/kg	(mg/kg)	(mg/kg)	<u>(mg/kg)</u>
(4)	ND	1	13	100
(5)	ND	2	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(4) =	GRAY RUBBER RING (EPDM)	Refer	BKKH18001629	
(5) =	SCREW	Refer	BKKH17014683	
*************************************				

Page 8 of 14





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

#### Test conducted:

# 4 <u>Total Lead (Pb) cont</u>ent <sup>▲</sup>

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry. 

2

Tested component	Result %	LOD % L	.OQ %	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	<0.0013	0.0002	0013	0 0090

Remark: % = percentage < = Less than

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(2) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(3) =	GREEN COATING ON WOOD	Refer	BKKH18009874

### 5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit mg/kg</u>
	mg/kg	mg/kg mg/kg	
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	<13	2 13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer BKKH18008771
(2) =	LACQUER COATING ON WOOD	Refer BKKH18008771
(3) =	GREEN COATING ON WOOD	Refer RKKH18009874

\*





The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

#### Test conducted:

6 Total Lead (Pb) Content in Substrate Material- Children's Metal Product

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1001-08.3:2012 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u>	LOQ	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(1)	ND	2	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

Refer BKKH17014683

Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result	LOD	LOQ	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(2)	ND	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than


Tested components:

(2) = GRAY RUBBER RING (EPDM) Refer BKKH18001629





The report shall not be reproduced without written approval from Intertek





Number: BKKH18009411

#### Test conducted:

#### 7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis. 2

			Result		LOD	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			(%, w/w)		(%, w/w)	(%, w/w)	<u>Limit (%, w/w)</u>	<u>(%, w/w)</u>
	(1)	(2)	(3)	(4)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) <sup>▲</sup>	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

> NPR = Notice of proposed rulemaking Percentage weight by weight %, w/w

LOD Limit of Detection LOQ Limit of Quantitation ND

Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

### Tested components:

<b>(1)</b> =	GRAY RUBBER RING (EPDM)	Refer	BKKH18001629
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(4) =	GREEN COATING ON WOOD	Refer	BKKH18009874



The report shall not be reproduced without written approval from Intertek





### Test conducted:

### 8 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result		<u>LOD LOQ Limit</u>
			(%, w/w)		(%, w/w) (%, w/w) (%, w/w)
	(1)	(2)	(3)	(4)	
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015 0.0090 0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015 0.0090 0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	0.0015 0.0030 0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

### Tested components:

<b>(1)</b> =	GRAY RUBBER RING (EPDM)	Refer	BKKH18001629
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(4) =	GREEN COATING ON WOOD	Refer	BKKH18009874

\*





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18009411

#### Test conducted:

#### 9 Total Lead (Pb) Content ▲

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

#### ı Surface coating material

Tested component	<u>Result</u>	LOD LOQ	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	<13	2 13	90

Remark: < = Less than

> Milligram per kilogram based on weight of sample; = ppm = Parts per million mg/kg =

LOD = Limit of Detection Limit of Quantitation LOQ =

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(2) =	LACQUER COATING ON WOOD	Refer	BKKH18008771
(3) =	GREEN COATING ON WOOD	Refer	BKKH18009874





The report shall not be reproduced without written approval from Intertek



#### Test conducted:

#### Ш Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(4)	ND	1 13	100
(5)	ND	2 13	100

< = Less than Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

> (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(4) GRAY RUBBER RING (EPDM) Refer BKKH18001629 (5) = **SCREW** Refer BKKH17014683

LOD and LOQ value in this test report were effective since October, 2014 Note: 

Number: BKKH18009411

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.



