

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18013309

Date: Dec 13, 2018

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

### Sample description:

Quantity of sample: One (1) set Sample description: Wooden toy Date sample received: October 08, 2018 Date information received: December 03, 2018

#### **Client Information:**

One (1) set of submitted sample said to be DOLPHIN WHISTLE

**DOLPHIN WHISTLE** Item Name:

Item Number: 4605



#### Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

**Hardlines Laboratory** 

Ladtaka Wongwiboonporn

Laboratory Manager

**Hardlines Department** 

Page 1 of 11



The report shall not be reproduced without written approval from Intertek

NSC-TISI-TIS 17025 TESTING 0417

Number: BKKH18013309

**Pass** 

**Pass** 

The results relate only to the item tested.

| sion: |
|-------|
|       |
|       |
|       |

Tested samplesStandardResultSubmitted sampleU.S. ASTM F963-17 for Physical and mechanical testsPassU.S. ASTM F963-17 for Flammability test of materialsPass

U.S. ASTM F963-16 for Heavy elements Test

Standard

U.S. Consumer product safety improvement Pass Act 2008(H.R. 4040) Title I, Section 101

For total lead content in non-surface coating material (substrate)

US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Phthalate Content Requirement base Pass

on the California Proposition 65

Illinois Lead Poisoning Prevention Pass

Act 410 ILCS 45 section 6 (public act 095-1019)

Remark: As requested by the applicant, the test was conducted only on components listed in this report.

Other components were not tested.

\*



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

| Components                             | Report No.   | <u>Date</u>  |
|--|--------------|--------------|
| ASTM F963-16: Heavy metal BLUE SAWDUST | BKKH18001625 | Feb 12, 2018 |
| <u>Lead in substrate</u> BLUE SAWDUST  | BKKH18001625 | Feb 12, 2018 |
| Phthalate content BLUE SAWDUST         | BKKH18001625 | Feb 12, 2018 |

\*



www.intertek.com



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing: For age over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

Test <u>Parameter</u> Drop test Section 1500.53(b) 4 x 3.0 ft 4 in-lbf Torque test Section 1500.53(e) Tension test Section 1500.53(f) 15 lbf Compression test Section 1500.53(g) 30 lbf

| <u>Clause</u> | <u>Testing items</u>   | <u>Assessment</u> |
|---------------|--|-------------------|
| 4.1           | Material quality   | Р                 |
| 4.5           | Sound-producing toys   | NA                |
| 4.6.1         | Toys intended for children under 36 months (small objects)     | NA                |
| 4.6.2         | Mouth-actuated toys  | Р                 |
| 4.6.3         | Toys and games for 36 months to 72 months (small part warning) | NA                |
| 4.7           | Accessible edges   | Р                 |
| 4.8           | Projections  | NA                |
| 4.9           | Accessible points  | Р                 |
| 4.10          | Wires or rods  | NA                |
| 4.11          | Nails and fasteners  | NA                |
| 4.12          | Plastic film   | NA                |
| 4.13          | Folding mechanisms and hinges                                  | NA                |
| 4.14          | Cords, straps and elastics                                     | NA                |
| 4.15          | Stability and over-load requirements                           | NA                |
| 4.16          | Confined spaces  | NA                |
| 4.17          | Wheels, tires and axles  | NA                |
| 4.18          | Holes, clearance, and accessibility of mechanisms              | NA                |
| 4.19          | Simulated protective devices                                   | NA                |
| 4.20          | Pacifiers  | NA                |
| 4.21          | Projectile toys  | NA                |
| 4.22          | Teethers and teething toys                                     | NA                |

Bangkok 10800 Thailand



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

| <u>Clause</u> | <u>Testing items</u>                              | <u>Assessment</u> |
|---------------|---|-------------------|
| 4.23          | Rattles   | NA                |
| 4.24          | Squeeze toys                                      | NA                |
| 4.25          | Battery-operated toys                             | NA                |
| 4.26          | Toys intended to be attached to a crib or playpen | NA                |
| 4.27          | Stuffed and beanbag-type toys                     | NA                |
| 4.28          | Stroller and carriage toys                        | NA                |
| 4.29          | Art materials                                     | NA                |
| 4.30          | Toy gun marking                                   | NA                |
| 4.31          | Balloons  | NA                |
| 4.32          | Certain toys with nearly spherical ends           | NA                |
| 4.33          | Marbles   | NA                |
| 4.34          | Balls   | NA                |
| 4.35          | Pompoms   | NA                |
| 4.36          | Hemispheric-shaped objects                        | NA                |
| 4.37          | Yoyo elastic tether toys                          | NA                |
| 4.38          | Magnets   | NA                |
| 4.39          | Jaw entrapment in handles and steering wheels     | NA                |
| 4.40          | Expanding materials                               | NA                |
| 4.41          | Toy chests  | NA                |
| 5             | Labelling requirement                             | P                 |
| 6             | Instructional literature                          | NA                |
| 7             | Producer's markings                               |                   |
|               | - name of producer (toy and package)              | Yes               |
|               | - address (package)                               | Yes               |

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: October 08, 2018 to October 16, 2018

### Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite

▲ = Tested items are not included in the TISI Accreditation

Testing period: October 08, 2018 to October 16, 2018

Page 5 of 11





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

#### 3 **Heavy Elements Analysis**

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

|                    |     | Result | <u>LOD</u> | <u>LOQ</u> | Limit mg/kg |
|--------------------|-----|--------|------------|------------|-------------|
|                    |     | mg/kg  | mg/kg      | mg/kg      |             |
|                    | (1) |        |            |            |             |
|                    |     |        |            |            |             |
| Sol. Barium (Ba)   | <5  |        | 1          | 5          | 1000        |
| Sol. Lead (Pb)     | ND  |        | 1          | 5          | 90          |
| Sol. Cadmium (Cd)  | ND  |        | 1          | 5          | 75          |
| Sol. Antimony (Sb) | ND  |        | 2          | 5          | 60          |
| Sol. Selenium (Se) | ND  |        | 1          | 5          | 500         |
| Sol. Chromium (Cr) | ND  |        | 2          | 5          | 60          |
| Sol. Mercury (Hg)  | ND  |        | 1          | 5          | 60          |
| Sol. Arsenic (As)  | ND  |        | 2          | 5          | 25          |

Remark: Sol. = Soluble

> Milligram per kilogram based on weight of sample; = ppm = Parts per million mg/kg =Limit of Detection LOD = Limit of Quantitation LOQ =

ND = Not detected (Less than LOD) < = Less than

Tested components:

(1) =**BLUE SAWDUST** Refer BKKH18001625

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

| Tested Component | <u>Result</u> | <u>LOD</u> <u>LOQ</u> | <u>Limit</u> |
|------------------|---------------|-----------------------|--------------|
| rested component | mg/kg         | (mg/kg) (mg/kg)       | (mg/kg)      |
| (1)              | <13           | 1 13                  | 100          |

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(1) = BLUE SAWDUST Refer BKKH18001625

Page 7 of 11



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Number: BKKH18013309

### Test conducted:

4 Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

| Tested component | Result | LOD LOQ     | <u>Limit mg/kg</u> |
|------------------|--------|-------------|--------------------|
|                  | mg/kg  | mg/kg mg/kg |                    |
| (1)              | <13    | 1 13        | 100                |

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Quantitation

ND = Not detected (Less than LOD) < = Less than

Tested components:

(1) = BLUE SAWDUST Refer BKKH18001625





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

#### 5 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis. 2

|   | <u>Result</u>   | LOD LO         | Q (16CFR1307)      | <u>NPR</u>        |
|---|-----------------|----------------|--------------------|-------------------|
|   | <u>(%, w/w)</u> | (%, w/w) (%, v | v/w) Limit (%, w/w | ) <u>(%, w/w)</u> |
|   | (1)             |                |                    |                   |
| Dibutyl Phthalate (DBP)                   | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Di(2-ethylhexyl) phthalate (DEHP)         | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Benzyl butyl Phthalate (BBP)              | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Di-iso-nonyl Phthalate (DINP)             | ND              | 0.0015 0.0     | 090 0.1            | 0.1               |
| Di-n-octyl Phthalate (DNOP)               | ND              | 0.0015 0.0     | 030                |                   |
| Di-iso-decyl Phthalate (DIDP)             | ND              | 0.0015 0.0     | 090                |                   |
| Di-isobutyl phthalate (DIBP) ▲            | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Di-n-pentyl phthalate (DPENP) ▲           | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Di-n-hexyl phthalate (DHEXP) <sup>▲</sup> | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Di-cyclohexyl phthalate (DCHP) ▲          | ND              | 0.0015 0.0     | 030 0.1            | 0.1               |
| Diisooctyl phthalate (DIOP) ▲             | ND              | 0.0015 0.0     | 090                |                   |

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

### Tested components:

(1) = BLUE SAWDUST Refer BKKH18001625



www.intertek.com



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 6 Phthalate content test ▲

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

|                                   |     | <u>Result</u>   | <u>LOD</u> <u>LOQ</u> | <u>Limit</u> |
|-----------------------------------|-----|-----------------|-----------------------|--------------|
|                                   |     | <u>(%, w/w)</u> | (%, w/w) (%, w/w)     | (%, w/w)     |
|                                   | (1) |                 |                       |              |
| Dibutyl Phthalate (DBP)           | ND  |                 | 0.0015 0.0030         | 0.1          |
| Di(2-ethylhexyl) phthalate (DEHP) | ND  |                 | 0.0015 0.0030         | 0.1          |
| Benzyl butyl Phthalate (BBP)      | ND  |                 | 0.0015 0.0030         | 0.1          |
| Di-iso-nonyl Phthalate (DINP)     | ND  |                 | 0.0015 0.0090         | 0.1          |
| Dioctyl Phthalate (DNOP)          | ND  |                 | 0.0015 0.0030         | 0.1          |
| Di-iso-decyl Phthalate (DIDP)     | ND  |                 | 0.0015 0.0090         | 0.1          |
| Di-n-hexyl Phthalate (DnHP)       | ND  |                 | 0.0015 0.0030         | 0.1          |

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) = BLUE SAWDUST Refer BKKH18001625

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

### 7 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

### II Non-surface coating material (substrate)

| Tested component | <u>Result</u> | <u>LOD</u> <u>LOQ</u> | <u>Limit</u> |
|------------------|---------------|-----------------------|--------------|
|                  | mg/kg         | mg/kg mg/kg           | mg/kg        |
| (1)              | <13           | 1 13                  | 100          |

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(1) = BLUE SAWDUST Refer BKKH18001625

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

Page 11 of 11

