

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

Feb 19, 2018

Date:

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

#### Sample description:

Quantity of sample:

Sample description:

Date sample received:

Date information received:

One (1) set

Wooden toy

January 11, 2018

February 14, 2018

#### **Client Information:**

One (1) set of submitted sample said to be PICK-A-BERRY

Item Name: PICK-A-BERRY

Item Number: 4620



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by:

For Intertek Testing Services (Thailand) Ltd.,

**Hardlines Laboratory** 

Ladtaka Wongwiboonporn

Laboratory Manager

**Hardlines Department** 

Page 1 of 19





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

Pass

lusion:

Conclusion:		
Tested samples	<u>Standard</u>	<u>Result</u>
Submitted sample	U.S. ASTM F963-16 for Physical and mechanical tests	Pass
	U.S. ASTM F963-16 for Flammability test of materials	Pass
	other than textile materials	
	U.S. ASTM F963-11 and ASTM F963-16 for	Pass
	Heavy elements Test	
	Standard - U.S. CFR title 16	
	(CPSC regulations)	Pass
	Part 1303 total Lead content	
	<u>Standard</u>	
	U.S. Consumer product safety improvement	Pass
	Act 2008(H.R. 4040) Title I, Section 101	
	For total lead content in surface coating	
	U.S. Consumer product safety improvement	Pass

Act 2008(H.R. 4040) Title I, Section 101 For total lead content in non-surface coating material (substrate)

U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 108 Requirement on phthalates

**Pass** Phthalate Content Requirement base on the California Proposition 65

Pass Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (public act 095-1019)

As requested by the applicant, the test was conducted only on components listed in this report.

Other components were not tested.

Bangkok 10800 Thailand



Remark:



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

017 017 017 017
)17 )17 !017
)17 !017
.017
017
018
018
)17
)17
)17
017
017
018
018
)17
)17
)17
017
017
018
018

Page 3 of 19





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

1 Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Age group for testing: For age over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.53(b)
 4 x 3.0 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	Р
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21 <sup>▲</sup>	Projectile toys	NA
4.22	Teethers and teething toys	NA



**TESTING 0417** 

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

Number: BKKH18000287

#### Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37 <sup>▲</sup>	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

= Tested items are not included in the TISI Accreditation

Testing period: January 11, 2018 to January 21, 2018

### Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Did not ignite Results:

Testing period: January 11, 2018 to January 21, 2018

Page 5 of 19



www.intertek.com



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

### 3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result			<u>LOD</u>	LOQ	Limit mg/kg
			mg/kg			mg/kg	mg/kg	
	(1)	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	264	ND	ND	ND	283	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million<math>LOQ = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

### **Heavy Elements Analysis**

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
		mg/kg	mg/kg	mg/kg	
	(6)				
Sol. Barium (Ba)	99		1	5	1000
Sol. Lead (Pb)	ND		1	5	90
Sol. Cadmium (Cd)	ND		1	5	75
Sol. Antimony (Sb)	ND		2	5	60
Sol. Selenium (Se)	ND		1	5	500
Sol. Chromium (Cr)	ND		2	5	60
Sol. Mercury (Hg)	ND		1	5	60
Sol. Arsenic (As)	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection

LOQ = Limit of Quantitation

ND = Not detected (Loss than LOD)

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(6) = PURPLE COATING ON WOOD (1632) Refer BKKH18001632





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### **Heavy Elements Analysis**

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
		mg/kg	mg/kg	mg/kg	
	(7)				
Cal Darium (Da)	<b>.</b> F		1	F	1000
Sol. Barium (Ba)	<5		1	5	1000
Sol. Lead (Pb)	ND		1	5	90
Sol. Cadmium (Cd)	ND		1	5	75
Sol. Antimony (Sb)	ND		2	5	60
Sol. Selenium (Se)	ND		1	5	500
Sol. Chromium (Cr)	ND		2	5	60
Sol. Mercury (Hg)	ND		1	5	60
Sol. Arsenic (As)	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(7) = ORANGE SAWDUST Refer BKKH18001625

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

(io



The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

## (I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
rested component	mg/kg	(mg/kg)	(mg/kg)	(mg/kg)
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) Less than < =

#### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798
(6) =	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tested Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
rested component	mg/kg	<u>(mg/kg)</u> (mg/kg)	(mg/kg)
(7)	<13	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(7) = ORANGE SAWDUST Refer BKKH18001625

Page 10 of 19





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

### 4 Total Lead (Pb) content

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD %	<u>LOQ %</u>	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	ND	0.0002	0.0013	0.0090
(4)	ND	0.0002	0.0013	0.0090
(5)	ND	0.0002	0.0013	0.0090
(6)	ND	0.0002	0.0013	0.0090

Remark: % = percentage < = Less than

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

#### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798
(6) =	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632

\*



Bangkok 10800 Thailand



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

T <u>ested component</u>	<u>Result</u>	LOD	LOQ	Limit mg/kg
	mg/kg	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

#### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798
(6) =	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632

\*





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

6 Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

T <u>ested component</u>	<u>Result</u>	LOD LOQ	<u>Limit mg/kg</u>
	mg/kg	mg/kg mg/kg	
(1)	<13	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(1) = ORANGE SAWDUST Refer BKKH18001625

0 10 01 10



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### 7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>	<u>NPR</u>
			(%, w/w)	<u>)</u>		(%, w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798

\*

(n)



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>	<u>NPR</u>
			<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(6)	(7)					
Dibutyl Phthalate (DBP)	ND	ND		0.0015	0.0030	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND		0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND		0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND		0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND		0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND		0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND		0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND		0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND		0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND		0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND		0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(6) =	ORANGE SAWDUST	Refer	BKKH18001625
(7) =	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632

\*





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

### 8 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

#### Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(2) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3) =	RED COATING ON WOOD	Refer	BKKH17008954
(4) =	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5) =	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798

\*





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

## Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
		<u>(%, w/w)</u>	(%, w/w) (%, w/w)	(%, w/w)
	(6)	(7)		
Dibutyl Phthalate (DBP)	ND	ND	0.0015 0.0030	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	0.0015 0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	0.0015 0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	0.0015 0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	0.0015 0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	0.0015 0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	0.0015 0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

### Tested components:

(6) =	ORANGE SAWDUST	Refer	BKKH18001625
(7) =	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632





The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### 9 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

#### Surface coating material

Tested component	<u>Result</u>	LOD	<u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg	mg/kg	mg/kg
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90

< = Less than Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

Tested items are not included in the TISI Accreditation According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

### Tested components:

(1)	=	BROWN COATING ON WOOD	Refer	BKKH17008463
(2)	=	LACQUER COATING ON WOOD	Refer	BKKH17008950
(3)	=	RED COATING ON WOOD	Refer	BKKH17008954
(4)	=	PURPLE COATING ON WOOD	Refer	BKKH17014798
(5)	=	LIGHT GREEN COATING ON WOOD	Refer	BKKH17014798
(6)	=	PURPLE COATING ON WOOD (1632)	Refer	BKKH18001632

Bangkok 10800 Thailand



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH18000287

#### Test conducted:

#### II Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(7)	<13	1 13	100

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(7) = ORANGE SAWDUST Refer BKKH18001625

Note: LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

