

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Dec 14, 2017

Date:

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

Sample description:

Quantity of sample: One (1) set
Sample description: Wooden toy

Date sample received: November 20, 2017
Date information received: December 11, 2017

Date sample resubmitted:

Client Information:

One (1) set of submitted sample said to be TIMBER TUMBLE

Item Name: TIMBER TUMBLE

Item Number: 4627



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by:

For Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladtez N

Ladtaka Wongwiboonporn

Intertek Testing Services (Thailand) Ltd.

Laboratory Manager

Hardlines Department

Page 1 of 20





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

lusion:

<u>Tested samples</u>	Standard	<u>Result</u>
Submitted sample	U.S. ASTM F963-16 for Physical and mechanical tests	Pass
	U.S. ASTM F963-16 for Flammability test of materials other than textile materials	Pass

U.S. ASTM F963-11 and ASTM F963-16 for	Pass
Heavy elements Test	

Standard - U.S. CFR title 16	
(CPSC regulations)	Pass
Part 1303 total Lead content	

C+-	_	٦	_	_	ᅬ
Sta	n	u	а	r	u

andara —	
U.S. Consumer product safety improvement	Pass
Act 2008(H.R. 4040) Title I, Section 101	
For total lead content in surface coating	
IIC Canauman muaduat aafatu inannua vanaant	Dacc

0.5. Consumer product safety improvement	1 433
Act 2008(H.R. 4040) Title I, Section 101	
For total lead content in non-surface coating material (substrate)

U.S. Consumer product safety improvement	Pass
Act 2008(H.R. 4040) Title I, Section 108	
Requirement on phthalates	

Phthalate Content Requirement base	Pass
on the California Proposition 65	

Illinois Lead Poisoning Prevention	Pass
Act 410 ILCS 45 section 6 (public act 095-1019)	

Remark:	As requested by the applicant, the test was conducted only on components listed in this report.
	Other components were not tested.





The results relate only to the item tested.



Number: BKKH17014290

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

<u>Components</u>	Report No.	<u>Date</u>
ASTM F963-11: Heavy metal		
Solid Wood	BKKH17000142	Jan 10, 2017
Dark Brown coating on wood	BKKH16017812	Dec 27, 2016
ASTM F963-16: Heavy metal		
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
GRAY COATING ON WOOD	BKKH17014798	Dec 06, 2017
BLACK COATING ON WOOD	BKKH17014798	Dec 06, 2017
Dark brown coating on wood (3837)	BKKH17003837	Mar 24, 2017
PLYWOOD	BKKH17008452	Jul 14, 2017
CLEAR RUBBER	BKKH17014796	Dec 06, 2017
Lead in surface coating		
Dark Brown coating on wood	BKKH16017812	Dec 27, 2016
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
GRAY COATING ON WOOD	BKKH17014798	Dec 06, 2017
BLACK COATING ON WOOD	BKKH17014798	Dec 06, 2017
Dark brown coating on wood (3837)	BKKH17003837	Mar 24, 2017
Lead in substrate		
Solid Wood	BKKH17000142	Jan 10, 2017
PLYWOOD	BKKH17008452	Jul 14, 2017
CLEAR RUBBER	BKKH17014796	Dec 06, 2017
Phthalate content		
Dark Brown coating on wood	BKKH16017812	Dec 27, 2016
PLYWOOD	BKKH17008452	Jul 14, 2017
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
GRAY COATING ON WOOD	BKKH17014798	Dec 06, 2017
BLACK COATING ON WOOD	BKKH17014798	Dec 06, 2017
CLEAR RUBBER	BKKH17014796	Dec 06, 2017
Dark brown coating on wood (3837)	BKKH17003837	Mar 24, 2017





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

1 Physical And Mechanical Tests *

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Age group for testing: For age over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.53(b)
 4 x 3.0 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	Р
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	Р
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



NSC-TISI-TIS 17025 TESTING 0417

The report shall not be reproduced without written approval from Intertek $% \left(1\right) =\left(1\right) \left(1\right)$

The results relate only to the item tested.

Number: BKKH17014290

Test conducted:

Clause	Testing items	Assessment
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P #
6	Instructional literature	Р
7	Producer's markings	
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

= Only artwork of packaging was provided for review.

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: November 20, 2017 to November 22, 2017

(n)



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

2 Flammability Test [▲]

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Results: Did not ignite

▲ = Tested items are not included in the TISI Accreditation

Testing period: November 20, 2017 to November 22, 2017

90 0 0. 20



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 $^{\blacktriangle}$, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result			LOD	LOQ	Limit mg/kg
			mg/kg			mg/kg	mg/kg	
	(1)	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	<4	264	ND	103	312	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	GRAY COATING ON WOOD	Refer	BKKH17014798
(5) =	BLACK COATING ON WOOD	Refer	BKKH17014798

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 $^{\blacktriangle}$, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
		mg/kg	mg/kg	mg/kg	
	(6)				
Sol. Barium (Ba)	<5		1	5	1000
Sol. Lead (Pb)	9		1	5	90
Sol. Cadmium (Cd)	ND		1	5	75
Sol. Antimony (Sb)	ND		2	5	60
Sol. Selenium (Se)	ND		1	5	500
Sol. Chromium (Cr)	ND		2	5	60
Sol. Mercury (Hg)	ND		1	5	60
Sol. Arsenic (As)	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(6) = Dark brown coating on wood (3837) Refer BKKH17003837





The report shall not be reproduced without written approval from Intertek





Number: BKKH17014290

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 $^{\blacktriangle}$, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result mg/kg	LOD mg/kg	LOQ mg/kg	Limit mg/kg
	(7)	(8)	(9)			
Sol. Barium (Ba)	ND	<5	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(7) =	Solid Wood	Refer	BKKH17000142
(8) =	PLYWOOD	Refer	BKKH17008452
(9) =	CLEAR RUBBER	Refer	BKKH17014796

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertel

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 $^{\blacktriangle}$, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
rested component	mg/kg	(mg/kg) (mg/kg)	<u>(mg/kg)</u>
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	ND	2 13	90
(4)	ND	2 13	90
(5)	ND	2 13	90
(6)	25	2 13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	GRAY COATING ON WOOD	Refer	BKKH17014798
(5) =	BLACK COATING ON WOOD	Refer	BKKH17014798
(6) =	Dark brown coating on wood (3837)	Refer	BKKH17003837





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tested Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
rested Component	mg/kg	(mg/kg) (mg/kg)	<u>(mg/kg)</u>
(7)	ND	1 13	100
(8)	<13	1 13	100
(9)	ND	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(7) =	Solid Wood	Refer	BKKH17000142
(8) =	PLYWOOD	Refer	BKKH17008452
(9) =	CLEAR RUBBER	Refer	BKKH17014796



The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Total Lead (Pb) content

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD %	<u>LOQ %</u>	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.009
(2)	ND	0.0002	0.0013	0.009
(3)	ND	0.0002	0.0013	0.009
(4)	ND	0.0002	0.0013	0.009
(5)	ND	0.0002	0.0013	0.009
(6)	0.0025	0.0002	0.0013	0.009

Remark: % = percentage

> Limit of Quantitation LOD = Limit of Detection LOQ =

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	GRAY COATING ON WOOD	Refer	BKKH17014798
(5) =	BLACK COATING ON WOOD	Refer	BKKH17014798
(6) =	Dark brown coating on wood (3837)	Refer	BKKH17003837





The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Total lead (Pb) content in surface coating 5

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	LOD	<u>LOQ</u>	Limit mg/kg
	mg/kg	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	25	2	13	90

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million Remark:

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	GRAY COATING ON WOOD	Refer	BKKH17014798
(5) =	BLACK COATING ON WOOD	Refer	BKKH17014798
(6) =	Dark brown coating on wood (3837)	Refer	BKKH17003837





The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Total lead (Pb) content in substrate material- non-metal children's product 6 As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for

children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u>	LOQ	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(1)	ND	1	13	100
(2)	<13	1	13	100
(3)	ND	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) < = Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Solid Wood	Refer	BKKH17000142
(2) =	PLYWOOD	Refer	BKKH17008452
(3) =	CLEAR RUBBER	Refer	BKKH17014796



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			LOD	LOQ	Limit	NPR
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	PLYWOOD	Refer	BKKH17008452
(3) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(4) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(5) =	GRAY COATING ON WOOD	Refer	BKKH17014798





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	LOD	LOQ	Limit	NPR
			(%, w/w)	<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	(%, w/w)
	(6)	(7)	(8)				
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(6) =	BLACK COATING ON WOOD	Refer	BKKH17014798
(7) =	CLEAR RUBBER	Refer	BKKH17014796
(8) =	Dark brown coating on wood (3837)	Refer	BKKH17003837





The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

8 Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result (%, w/w)			LOD (%, w/w)	LOQ (% w/w)	Limit (%, w/w)
	(1)	(2)	(3)	(4)	(5)	(70, vv / vv)	<u>(70, vv) vv</u>	(70, W/W)
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) =	Dark Brown coating on wood	Refer	BKKH16017812
(2) =	PLYWOOD	Refer	BKKH17008452
(3) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(4) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(5) =	GRAY COATING ON WOOD	Refer	BKKH17014798





The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	LOD LOQ	Limit
			(%, w/w)	<u>(%, w/w)(%, w/w)</u>	(%, w/w)
	(6)	(7)	(8)		
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015 0.0030	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	0.0015 0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015 0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015 0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	0.0015 0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015 0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	0.0015 0.0030	0.1
Benzyl butyl Phthalate (BBP) Di-iso-nonyl Phthalate (DINP) Dioctyl Phthalate (DNOP) Di-iso-decyl Phthalate (DIDP)	ND ND ND ND	ND ND ND ND	ND ND ND ND	0.0015 0.0030 0.0015 0.0090 0.0015 0.0030 0.0015 0.0090	0.1 0.1 0.1 0.1

Remark: %, w/w = Percentage weight by weight

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

The above limit was quoted according to the California Proposition 65 Note:

Tested components:

(6) =	BLACK COATING ON WOOD	Refer	BKKH17014798
(7) =	CLEAR RUBBER	Refer	BKKH17014796
(8) =	Dark brown coating on wood (3837)	Refer	BKKH17003837





The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

9 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Surface coating material

Tested component	Result mg/kg	<u>LOD</u> <u>LOQ</u> mg/kg mg/kg	<u>Limit</u> mg/kg
	1118/ NS	HIG/NG HIG/NG	ilig/ kg
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	ND	2 13	90
(4)	ND	2 13	90
(5)	ND	2 13	90
(6)	25	2 13	90

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

Tested items are not included in the TISI Accreditation According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1)	=	Dark Brown coating on wood	Refer	BKKH16017812
(2)	=	BROWN COATING ON WOOD	Refer	BKKH17008463
(3)	=	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4)	=	GRAY COATING ON WOOD	Refer	BKKH17014798
(5)	=	BLACK COATING ON WOOD	Refer	BKKH17014798
(6)	=	Dark brown coating on wood (3837)	Refer	BKKH17003837





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17014290

Test conducted:

II Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(7)	ND	1 13	100
(8)	<13	1 13	100
(9)	ND	1 13	100

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(7)	=	Solid Wood	Refer	BKKH17000142
(8)	=	PLYWOOD	Refer	BKKH17008452
(9)	=	CLEAR RUBBER	Refer	BKKH17014796

Note: LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

