

The report shall not be reproduced without written approval from Intertek $% \left(1\right) =\left(1\right) \left(1\right)$

The results relate only to the item tested.



Number: BKKH17007962S1

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN Date: Apr 10, 2018
This report supersedes
The previous report
Date Aug 10, 2017

Sample description:

Quantity of sample:

Sample description:

Date sample received:

Date information received:

One (1) set

Wooden toy

July 04, 2017

April 10, 2018

Client Information:

One (1) set of submitted sample said to be TRIANGLE CLUTCHING TOY

Item Name: TRIANGLE CLUTCHING TOY

Item Number: 5256



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by:

For Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladtaka Wongwiboonporn Laboratory Manager

Hardlines Department

Page 1 of 21





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

lusion:

Tested samples Standard Result Submitted sample U.S. ASTM F963-16 for Physical and mechanical tests **Pass** excluding labelling requirement of clause 5 U.S. ASTM F963-16 for clause 4.5 **Pass** Sound producing toys U.S. ASTM F963-16 for Flammability test of materials **Pass** other than textile materials U.S. ASTM F963-11 and ASTM F963-16 for Pass **Heavy elements Test** Standard - U.S. CFR title 16 **Pass** (CPSC regulations) Part 1303 total Lead content Standard **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating

Pass U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101

For total lead content in non-surface coating material (substrate)

Pass U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 108 Requirement on phthalates **Pass**

Pass Illinois Lead Poisoning Prevention

As requested by the applicant, the test was conducted only on components listed in this report.

Act 410 ILCS 45 section 6 (public act 095-1019)

Phthalate Content Requirement base on the California Proposition 65

Other components were not tested.



Remark:



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

Components	Report No.	<u>Date</u>
ASTM F963-11: Heavy metal		
LIGHT GRAY COATING ON WOOD	BKKH16015744	Nov 07, 2016
Solid Wood	BKKH17000142	Jan 10, 2017
ASTM F963-16: Heavy metal		
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
ORANGE COATING ON WOOD	BKKH17008552	Jul 18, 2017
GREEN COATING ON WOOD	BKKH17008550	Jul 18, 2017
YELLOW COATING ON WOOD	BKKH17008550	Jul 18, 2017
SKY BLUE COATING ON WOOD	BKKH17008550	Jul 18, 2017
CREAM ELASTIC	BKKH17003195	Mar 13, 2017
Lead in surface coating		
LIGHT GRAY COATING ON WOOD	BKKH16015744	Nov 07, 2016
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
ORANGE COATING ON WOOD	BKKH17008552	Jul 18, 2017
GREEN COATING ON WOOD	BKKH17008550	Jul 18, 2017
YELLOW COATING ON WOOD	BKKH17008550	Jul 18, 2017
SKY BLUE COATING ON WOOD	BKKH17008550	Jul 18, 2017
<u>Lead in substrate</u>		
Solid Wood	BKKH17000142	Jan 10, 2017
CREAM ELASTIC	BKKH17003195	Mar 13, 2017
Phthalate content		
LIGHT GRAY COATING ON WOOD	BKKH16015744	Nov 07, 2016
BROWN COATING ON WOOD	BKKH17008463	Jul 14, 2017
LACQUER COATING ON WOOD	BKKH17008950	Jul 26, 2017
ORANGE COATING ON WOOD	BKKH17008552	Jul 18, 2017
GREEN COATING ON WOOD	BKKH17008550	Jul 18, 2017
YELLOW COATING ON WOOD	BKKH17008550	Jul 18, 2017
SKY BLUE COATING ON WOOD	BKKH17008550	Jul 18, 2017
CREAM ELASTIC	BKKH17003195	Mar 13, 2017

Page 3 of 21





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

1 Physical And Mechanical Tests A

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Age group for testing: For age over 6 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.51(b)
 10 x 4.5 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	P *1
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	Р
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



TESTING 0417

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

Number: BKKH17007962S1

Test conducted:

Clause	Testing items	Assessment
4.23	Rattles	Р
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	Р
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	NA
6	Instructional literature	NA
7	Producer's markings	
	- name of producer (toy)	Yes
	- address (toy)	No

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

The producer's name was found on the toy. However as specified in clause 7.1 of ASTM F963-16, the final product or its packaging must also be marked with the address.

Testing period: July 04, 2017 to July 13, 2017



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

*1 Sound producing toys test

Test Standard: ASTM Standard Consumer Safety Specification on Toy Safety F963-16, clause 4.5.

Clause	Test item	Assessment
4.5.1.1	A-weighted equivalent sound pressure level, L _{Aeq} , produced by	NA
	close to the ear toys.	
	Maximum A-weighted sound pressure level, L _{AFmax} , produced	
4.5.1.2	by the translational motion of floor or table top toys where	NA
	the motion is imparted on the toy by the child.	
4.5.1.3	A-weighted equivalent sound pressure level, LAeq, produced	NA
4.5.1.5	by all other toys.	NA .
4544	C-weighted peak sound pressure level, L _{Cpeak} , produced by	NIA
4.5.1.4	close to the ear toys.	NA
	C-weighted peak sound pressure level, L _{Cpeak} , produced by any	
4.5.1.5	type of toy excluding toys using explosive action.	Р
	C-weighted peak sound pressure level, L _{Cpeak} , produced by a	
4.5.1.6	toy using percussion caps or other explosive action.	NA

Remark: P = Pass NA = Not applicable

Measured data:

Tested componentPeak sound pressure level (L_{Cpeak})Limit (db)Triangle clutching toy96.6115

Testing period: July 04, 2017 to July 13, 2017

Page 6 of 21





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

2 Flammability Test [▲]

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-16.

Results: Did not ignite

 $^{\blacktriangle}$ = Tested items are not included in the TISI Accreditation

Testing period : July 04, 2017 to July 13, 2017

Page 7 of 21



The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

3 **Heavy Elements Analysis**

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16^A, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			<u>Result</u>			<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg			mg/kg	mg/kg	
	(1)	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	<4	264	ND	<5	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

< = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Page 8 of 21





The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16^A, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg	mg/kį	g mg/kg	
	(6)	(7)				
Sol. Barium (Ba)	ND	ND		1	5	1000
Sol. Lead (Pb)	ND	ND		1	5	90
Sol. Cadmium (Cd)	ND	ND		1	5	75
Sol. Antimony (Sb)	ND	ND		2	5	60
Sol. Selenium (Se)	ND	ND		1	5	500
Sol. Chromium (Cr)	ND	ND		2	5	60
Sol. Mercury (Hg)	ND	ND		1	5	60
Sol. Arsenic (As)	ND	ND		2	5	25

Remark: Sol. = Soluble

< = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 , acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result mg/kg	LOD mg/kg	<u>LOQ</u> mg/kg	Limit mg/kg
	(8)	(9)	<u>aa</u>	···o/··o	<u>6/6</u>	
Sol. Barium (Ba)	ND	52		1	5	1000
Sol. Lead (Pb)	ND	ND		1	5	90
Sol. Cadmium (Cd)	ND	ND		1	5	75
Sol. Antimony (Sb)	ND	ND		2	5	60
Sol. Selenium (Se)	ND	ND		1	5	500
Sol. Chromium (Cr)	ND	ND		2	5	60
Sol. Mercury (Hg)	ND	ND		1	5	60
Sol. Arsenic (As)	ND	ND		2	5	25

Remark: Sol. = Soluble

< = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(8) =	Solid Wood	Refer	BKKH17000142
(9) =	CREAM FLASTIC	Refer	BKKH17003195

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertel

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16 $^{\blacktriangle}$, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

Tested Component	<u>Result</u>	LOD	<u>LOQ</u>	<u>Limit</u>
rested component	mg/kg	(mg/kg)	(mg/kg)	<u>(mg/kg)</u>
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550
(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550





The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tested Component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	mg/kg	(mg/kg)	(mg/kg)	<u>(mg/kg)</u>
(8)	ND	1	13	100
(9)	ND	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) < = Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(8) =	Solid Wood	Refer	BKKH17000142
(9) =	CREAM ELASTIC	Refer	BKKH17003195



The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Total Lead (Pb) content ▲

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD %	<u>LOQ %</u>	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.009
(2)	ND	0.0002	0.0013	0.009
(3)	ND	0.0002	0.0013	0.009
(4)	ND	0.0002	0.0013	0.009
(5)	ND	0.0002	0.0013	0.009
(6)	ND	0.0002	0.0013	0.009
(7)	ND	0.0002	0.0013	0.009

percentage Less than Remark: % =

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) Less than < =

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550
(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550



Bangkok 10800 Thailand



The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	LOD	<u>LOQ</u>	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million Remark:

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) < = Less than

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550
(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result	LOD LOQ	Limit mg/kg
	mg/kg	mg/kg mg/kg	
(1)	ND	1 13	100
(2)	ND	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	Solid Wood	Refer	BKKH17000142
(2) =	CREAM ELASTIC	Refer	BKKH17003195

Page 15 of 21



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			LOD	LOQ	Limit	NPR
		(%, w/w)					(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	ND	0.0015	0.009		0.1
Di-n-pentyl phthalate (DnPP) ▲	ND	ND	ND	ND	ND	0.0015	0.009		0.1
Di-n-hexyl phthalate (DnHP) ▲	ND	ND	ND	ND	ND	0.0015	0.009		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.009		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.009		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

= Tested items are not included in the TISI Accreditation

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550

(n)



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	Lo	OD	LOQ	Limit	NPR
			(%, w/w)	<u>(%,</u>	w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(6)	(7)	(8)					
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0	015	0.003	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	0.0	015	0.003	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0	015	0.003	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0	015	0.009	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	0.0	015	0.003	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0	015	0.009	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	0.0	015	0.009		0.1
Di-n-pentyl phthalate (DnPP) ▲	ND	ND	ND	0.0	015	0.009		0.1
Di-n-hexyl phthalate (DnHP) ▲	ND	ND	ND	0.0	015	0.009		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	0.0	015	0.009		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	0.0	015	0.009		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

> NPR = Notice of proposed rulemaking = Percentage weight by weight %, w/w

= Limit of Detection LOD LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Tested components:

(8) =	CREAM ELASTIC	Refer	BKKH17003195
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550
(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550



The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

8 Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			LOD	LOQ	Limit
			(%, w/w)			(%, w/w)	<u>(%, w/w)</u>	(%, w/w)
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.009	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.003	0.1

Remark: %, w/w = Percentage weight by weight

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2) =	BROWN COATING ON WOOD	Refer	BKKH17008463
(3) =	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4) =	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5) =	GREEN COATING ON WOOD	Refer	BKKH17008550





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		Result	LOD	LOQ	Limit
		(%, w/w)	<u>(%, w/w)</u>	<u>(%, w/w)</u>	(%, w/w)
(6)	(7)	(8)			
ND	ND	ND	0.0015	0.003	0.1
ND	ND	ND	0.0015	0.003	0.1
ND	ND	ND	0.0015	0.003	0.1
ND	ND	ND	0.0015	0.009	0.1
ND	ND	ND	0.0015	0.003	0.1
ND	ND	ND	0.0015	0.009	0.1
ND	ND	ND	0.0015	0.003	0.1
	ND ND ND ND ND	ND N	(%, w/w) (6) (7) (8) ND ND ND ND ND ND	(%, w/w) (%, w/w) (6) (7) (8) ND ND 0.0015 ND ND 0.0015 ND ND ND ND ND 0.0015 ND ND 0.0015	(%, w/w) (%, w/w)(%, w/w) (6) (7) (8) ND ND 0.0015 0.003 ND ND 0.0015 0.003 ND ND 0.0015 0.003 ND ND 0.0015 0.003 ND ND 0.0015 0.009 ND ND 0.0015 0.003 ND ND 0.0015 0.009 ND ND 0.0015 0.009

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(8) =	CREAM ELASTIC	Refer	BKKH17003195
(7) =	SKY BLUE COATING ON WOOD	Refer	BKKH17008550
(6) =	YELLOW COATING ON WOOD	Refer	BKKH17008550





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

9 Total Lead (Pb) Content [▲]

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

I Surface coating material

Tested component	<u>Result</u>	LOD	LOQ	<u>Limit</u>
	mg/kg	mg/kg	mg/kg	mg/kg
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1)	=	LIGHT GRAY COATING ON WOOD	Refer	BKKH16015744
(2)	=	BROWN COATING ON WOOD	Refer	BKKH17008463
(3)	=	LACQUER COATING ON WOOD	Refer	BKKH17008950
(4)	=	ORANGE COATING ON WOOD	Refer	BKKH17008552
(5)	=	GREEN COATING ON WOOD	Refer	BKKH17008550
(6)	=	YELLOW COATING ON WOOD	Refer	BKKH17008550
(7)	=	SKY BLUE COATING ON WOOD	Refer	BKKH17008550





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH17007962S1

Test conducted:

Ш Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(8)	ND	1 13	100
(9)	ND	1 13	100

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

> (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

Refer (8) =Solid Wood BKKH17000142 (9) =CREAM ELASTIC Refer BKKH17003195

LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.



