

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Nov 22, 2018

Date:

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

### Sample description:

Quantity of sample: One (1) set
Sample description: Wooden toy
Date sample received: July 20, 2018

Date information received: November 09, 2018

#### **Client Information:**

One (1) set of submitted sample said to be MY FIRST PHONE

Item Name: MY FIRST PHONE

Item Number: 5674



#### Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by:

For Intertek Testing Services (Thailand) Ltd.,

**Hardlines Laboratory** 

Ladtaka Wongwiboonporn

Intertek Testing Services (Thailand) Ltd.

Laboratory Manager

**Hardlines Department** 

Page 1 of 19



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

_				
$\Gamma \sim$	nc	lusi	$\sim$	٠.
LU		ıusı	v	

**Tested samples** Standard Result Submitted sample U.S. ASTM F963-17 for Physical and mechanical tests Pass U.S. ASTM F963-17 for Flammability test of materials Pass other than textile materials U.S. ASTM F963-16 for Heavy elements Test **Pass** Standard - U.S. CFR title 16 **Pass** (CPSC regulations) Part 1303 total Lead content Standard **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating U.S. Consumer product safety improvement **Pass** Act 2008(H.R. 4040) Title I, Section 101 For total lead content in non-surface coating material (substrate) **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 108 Requirement on phthalates **Pass** Phthalate Content Requirement base on the California Proposition 65 Pass Illinois Lead Poisoning Prevention

Remark:

As requested by the applicant, the test was conducted only on components listed in this report.

Act 410 ILCS 45 section 6 (public act 095-1019)

Other components were not tested.



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

Components	Report No.	<u>Date</u>
ASTM F963-16: Heavy metal		
YELLOW COATING ON WOOD	BKKH18008771	Jul 12, 2018
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
ORANGE COATING ON WOOD	BKKH18010022	Aug 03, 2018
RED COATING ON WOOD	BKKH18008770	Jul 12, 2018
BLUE COATING ON WOOD	BKKH18008770	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018
CLEAR PLASTIC	BKKH18012545	Sep 20, 2018
BROWN FABRIC - WHITE SPOTS	BKKH18014115	Nov 01, 2018
Lead in surface coating		
YELLOW COATING ON WOOD	BKKH18008771	Jul 12, 2018
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
ORANGE COATING ON WOOD	BKKH18010022	Aug 03, 2018
RED COATING ON WOOD	BKKH18008770	Jul 12, 2018
BLUE COATING ON WOOD	BKKH18008770	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018
<u>Lead in substrate</u>		
CLEAR PLASTIC	BKKH18012545	Sep 20, 2018
BROWN FABRIC - WHITE SPOTS	BKKH18014115	Nov 01, 2018
Phthalate content		
YELLOW COATING ON WOOD	BKKH18008771	Jul 12, 2018
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
ORANGE COATING ON WOOD	BKKH18010022	Aug 03, 2018
RED COATING ON WOOD	BKKH18008770	Jul 12, 2018
BLUE COATING ON WOOD	BKKH18008770	Jul 12, 2018
GREEN COATING ON WOOD	BKKH18009874	Aug 01, 2018
CLEAR PLASTIC	BKKH18012545	Sep 20, 2018

Page 3 of 19





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

1 Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing: For age over 12 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.51(b)
 10 x 4.5 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	Р
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

### Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings - name of producer (toy and package)	Yes
	- address (package)	Yes

Remark : P = PassNA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: July 20, 2018 to August 13, 2018

### Flammability Test

Intertek Testing Services (Thailand) Ltd.

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite

▲ = Tested items are not included in the TISI Accreditation

Testing period: July 20, 2018 to August 13, 2018

Page 5 of 19





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result			<u>LOD</u>	LOQ	Limit mg/kg
			mg/kg			mg/kg	mg/kg	
	(1)	(2)	(3)	(4)	(5)			
C   D : (D )	_		ND	60.4			_	4000
Sol. Barium (Ba)	<5	572	ND	604	9	1	5	1000
Sol. Lead (Pb)	<5	ND	ND	ND	<5	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4) =	RED COATING ON WOOD	Refer	BKKH18008770
(5) =	BLUE COATING ON WOOD	Refer	BKKH18008770

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Page 6 of 19



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

#### **Heavy Elements Analysis**

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
	mg/kg	mg/kg	mg/kg	
(6)				
_		_	_	
<5		1	5	1000
<5		1	5	90
ND		1	5	75
ND		2	5	60
ND		1	5	500
ND		2	5	60
ND		1	5	60
ND		2	5	25
	<5 <5 ND ND ND ND ND	mg/kg (6) <5 <5 ND ND ND ND ND ND ND ND ND	mg/kg   mg/kg   mg/kg   (6)	mg/kg   mg/k

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(6) = GREEN COATING ON WOOD Refer BKKH18009874

 $Note: The \ results \ of \ soluble \ toxic \ elements \ were \ adjusted \ by \ subtracting \ the \ analytical \ correction \ factor.$ 





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### **Heavy Elements Analysis**

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg	mg/kg	mg/kg	
	(7)	(8)				
Sol. Barium (Ba)	ND	<5		1	5	1000
Sol. Lead (Pb)	ND	ND		1	5	90
Sol. Cadmium (Cd)	ND	ND		1	5	75
Sol. Antimony (Sb)	ND	ND		2	5	60
Sol. Selenium (Se)	ND	ND		1	5	500
Sol. Chromium (Cr)	ND	ND		2	5	60
Sol. Mercury (Hg)	ND	ND		1	5	60
Sol. Arsenic (As)	ND	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(7) =	CLEAR PLASTIC	Refer	BKKH18012545
(8) =	BROWN FABRIC - WHITE SPOTS	Refer	BKKH18014115

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

### (I) Surface coating

Tested Component	<u>Result</u>	LOD	<u>LOQ</u>	<u>Limit</u>
rested Component	mg/kg	(mg/kg)	(mg/kg)	<u>(mg/kg)</u>
(1)	<13	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	<13	2	13	90
(6)	<13	2	13	90

Remark: mg/kg =Milligram per kilogram based on weight of sample; = ppm = Parts per million

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) Less than

### Tested components:

(1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4) =	RED COATING ON WOOD	Refer	BKKH18008770
(5) =	BLUE COATING ON WOOD	Refer	BKKH18008770
(6) =	GREEN COATING ON WOOD	Refer	BKKH18009874





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tested Component	Result	<u>100 100</u>	<u>Limit</u>
rested Component	mg/kg	(mg/kg) (mg/kg)	<u>(mg/kg)</u>
(7)	ND	1 13	100
(8)	ND	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(7) = CLEAR PLASTIC Refer BKKH18012545 (8) = BROWN FABRIC - WHITE SPOTS Refer BKKH18014115

\*



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 4 Total Lead (Pb) content ⁴

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry. 

2

Tested component	Result %	LOD %	LOQ %	<u>Limit %</u>
(1)	< 0.0013	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	ND	0.0002	0.0013	0.0090
(4)	ND	0.0002	0.0013	0.0090
(5)	< 0.0013	0.0002	0.0013	0.0090
(6)	< 0.0013	0.0002	0.0013	0.0090

Remark: % = percentage < = Less than

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4) =	RED COATING ON WOOD	Refer	BKKH18008770
(5) =	BLUE COATING ON WOOD	Refer	BKKH18008770
(6) =	GREEN COATING ON WOOD	Refer	BKKH18009874

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	LOD	<u>LOQ</u>	Limit mg/kg
	mg/kg	mg/kg	mg/kg	
(1)	<13	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	<13	2	13	90
(6)	<13	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4) =	RED COATING ON WOOD	Refer	BKKH18008770
(5) =	BLUE COATING ON WOOD	Refer	BKKH18008770
(6) =	GREEN COATING ON WOOD	Refer	BKKH18009874

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for

children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content

was determined by Inductively Couple Plasma Optical Emission Spectrometry.  ${\rm \fill}$ 

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(1)	ND	1	13	100
(2)	ND	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(1) = CLEAR PLASTIC Refer BKKH18012545 (2) = BROWN FABRIC - WHITE SPOTS Refer BKKH18014115

\*



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis. 2

			Result			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>	<u>NPR</u>
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP)▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(2	1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2	2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3	3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4	1) =	RED COATING ON WOOD	Refer	BKKH18008770
(5	5) =	BLUE COATING ON WOOD	Refer	BKKH18008770





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

#### Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis. 2

			<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>	<u>NPR</u>
			<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	(%, w/w)	(%, w/w)
	(6)	(7)					
Dibutyl Phthalate (DBP)	ND	<0.0030		0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND		0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND		0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND		0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND		0.0015	0.0030	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND		0.0015	0.0090	0.1	
Di-isobutyl phthalate (DIBP) ▲	ND	<0.0030		0.0015	0.0090		0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND		0.0015	0.0090		0.1
Di-n-hexyl phthalate (DHEXP)▲	ND	ND		0.0015	0.0090		0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND		0.0015	0.0090		0.1
Diisooctyl phthalate (DIOP) <sup>▲</sup>	ND	ND		0.0015	0.0090		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

The Phthalate no.7-11 are not included in US Consumer Product Safety Improvement Act 2008 and was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(6) =	GREEN COATING ON WOOD	Refer	BKKH18009874
(7) =	CLEAR PLASTIC	Refer	BKKH18012545





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

## 8 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			<u>Result</u>			<u>LOD</u>	LOQ	<u>Limit</u>
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

# Tested components:

(1) =	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2) =	BROWN COATING ON WOOD	Refer	BKKH18008771
(3) =	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4) =	RED COATING ON WOOD	Refer	BKKH18008770
(5) =	BLUE COATING ON WOOD	Refer	BKKH18008770

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Phthalate content test ▲

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
		<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	<u>(%, w/w)</u>
	(6)	(7)			
Dibutyl Phthalate (DBP)	ND	< 0.0030	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(6) = GREEN COATING ON WOOD Refer BKKH18009874 (7) = CLEAR PLASTIC Refer BKKH18012545

\*



www.intertek.com



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### 9 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

#### I Surface coating material

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg	mg/kg	mg/kg
(1)	<13	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	<13	2	13	90
(6)	<13	2	13	90

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

= Tested items are not included in the TISI Accreditation
According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6
(public act 095-019), appropriate warning statement is required when the
Lead content of the submitted sample is more than 40 ppm but less than 90
ppm for surface coatings and less than 100 ppm for substrates by total
weight or a lower standard for Lead content as may be established by federal
or state law or regulation.

### Tested components:

(1)	=	YELLOW COATING ON WOOD	Refer	BKKH18008771
(2)	=	BROWN COATING ON WOOD	Refer	BKKH18008771
(3)	=	ORANGE COATING ON WOOD	Refer	BKKH18010022
(4)	=	RED COATING ON WOOD	Refer	BKKH18008770
(5)	=	BLUE COATING ON WOOD	Refer	BKKH18008770
(6)	=	GREEN COATING ON WOOD	Refer	BKKH18009874

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

II Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	mg/kg	mg/kg mg/kg	mg/kg
(7)	ND	1 13	100
(8)	ND	1 13	100

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(7) = CLEAR PLASTIC Refer BKKH18012545 (8) = BROWN FABRIC - WHITE SPOTS Refer BKKH18014115

Note: LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

